



ELSEVIER

Discrete Mathematics 171 (1997) 299–300

**DISCRETE
MATHEMATICS**

Author index to volume 171 (1997)

Aharoni, R., G.T. Herman and A. Kuba, Binary vectors partially determined by linear equation systems	(1–3) 1– 16
Armanious, M.H., Construction of nilpotent sloops of class n	(1–3) 17– 25
Brandstädt, A., F. F. Dragan and F. Nicolai, LexBFS-orderings and powers of chordal graphs	(1–3) 27– 42
Broersma, H., H. Li, J. Li, F. Tian and H.J. Veldman, Cycles through subsets with large degree sums	(1–3) 43– 54
Bryant, D.E., A. Rodger and E.R. Spicer, Embeddings of m -cycle systems and incomplete m -cycle systems: $m \leq 14$	(1–3) 55– 75
Chew, K.H., On Vizing's theorem, Adjacency lemma and fan argument generalized to multigraphs (Note)	(1–3) 283–286
Clark, L.H. and D. Haile, Remarks on the size of critical edge-chromatic graphs (Note)	(1–3) 287–293
da Silva, I.P.F., Note on inseparability graphs of matroids having exactly one class of orientations	(1–3) 77– 87
Dragan, F.F., see A. Brandstädt	(1–3) 27– 42
Du, D.-Z., see P.-J. Wan	(1–3) 261–275
Dvořák, T., I. Havel and P. Liebl, Euler cycles in the complete graph K_{2m+1}	(1–3) 89–102
Egawa, Y., Contractible cycles in graphs with large minimum degree	(1–3) 103–119
Fon-Der-Flaass, D.G., Arrays of distinct representatives — a very simple NP-complete problem (Note)	(1–3) 295–298
Gardner, R., B. Micale, M. Pennisi and R. Zijlstra, Cyclic and rotational hybrid triple systems	(1–3) 121–139
Graham, R.L., see P.-J. Wan	(1–3) 261–275
Haile, D., see L.H. Clark	(1–3) 287–293
Hattingh, J.H. and E. Ungerer, Minus k -subdomination in graphs II	(1–3) 141–151
Havel, I., see T. Dvořák	(1–3) 89–102
Herman, G.T., see R. Aharoni	(1–3) 1– 16
Karoński, M. and T. Łuczak, The number of connected sparsely edged uniform hyper-graphs	(1–3) 153–167
Kuba, A., see R. Aharoni	(1–3) 1– 16
Li, H., see H. Broersma	(1–3) 43– 54
Li, J., see H. Broersma	(1–3) 43– 54
Liebl, P., see T. Dvořák	(1–3) 89–102
Liu, R.-Y. and L.-C. Zhao, A new method for proving chromatic uniqueness of graphs	(1–3) 169–177
Łuczak, T., see M. Karoński	(1–3) 153–167
McKee, T.A., Clique neighborhoods and nearly chordal graphs	(1–3) 179–189
Micale, B., see R. Gardner	(1–3) 121–139
Minoux, M., Bideterminants, arborescences and extension of the Matrix-Tree Theorem to semirings	(1–3) 191–200
Mitchem, J. and P. Morriss, On the cost-chromatic number of graphs	(1–3) 201–211
Morriss, P., see J. Mitchem	(1–3) 201–211
Nicolai, F., see A. Brandstädt	(1–3) 27– 42
Pennisi, M., see R. Gardner	(1–3) 121–139
Rodger, C.A., see D.E. Bryant	(1–3) 55– 75
Rusu, I., Building counterexamples	(1–3) 213–227

- Santmyer, J.M., A Stirling like sequence of rational numbers (1-3) 229-235
Spicer, E.R., see D.E. Bryant, (1-3) 55- 75
Tardif, C., A fixed box theorem for the cartesian product of graphs and metric spaces (1-3) 237-248
Teschner, U., New results about the bondage number of a graph (1-3) 249-259
Tian, F., see H. Broersma (1-3) 43- 54
Ungerer, E., see J.H. Hattingh (1-3) 141-151
Veldman, H.J., see H. Broersma (1-3) 43- 54
Wan, P.-J., D.-Z. Du and R.L. Graham, The Steiner ratio for the dual normed plane (1-3) 261-275
Zhao, L.-C., see R.-Y. Liu (1-3) 169-177
Zijlstra, R., see R. Gardner (1-3) 121-139
Zörnig, P., On the line graphs of the complete r -partite graphs (1-3) 277-282

